

Table AWM-1.--Agricultural Waste Management
Bossier Parish, Louisiana

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Acadia-----	65	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	 1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91
Ac: Acadia-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	 1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91
Ad: Acadia-----	90	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	 1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91
Ae: Acadia-----	50	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	 1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 0.91
Wrightsville-----	30	Very limited Restricted permeability Depth to saturated zone Too acid Runoff limitation	 1.00 1.00 0.73 0.40	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00
Af: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	 0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	 0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	 0.91 0.00
Ag: Cahaba-----	90	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	 0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	 0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	 0.91 0.00
Ah: Ruston-----	90	Somewhat limited Too acid	 0.22	Somewhat limited Too acid	 0.77	Somewhat limited Too steep for surface application Too acid Too steep for	 0.92 0.77 0.02

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						sprinkler application	
Ak: Smithdale-----	90	Not Rated Not Rated; CEC or Clay Slope	0.96	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too acid	0.50	Slope	0.96	Too acid	1.00
		Filtering capacity	0.00	Filtering capacity	0.00	Too steep for sprinkler application	0.98
						Filtering capacity	0.00
Am: Cahaba-----	90	Not Rated Not Rated; CEC or Clay Too acid	0.32	Not Rated Not Rated; CEC or Clay Too acid	0.91	Not Rated Not Rated; CEC or Clay Too acid	0.91
		Filtering capacity	0.00	Filtering capacity	0.00	Filtering capacity	0.00
An: Smithdale-----	90	Not Rated Not Rated; CEC or Clay Slope	0.84	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too acid	0.50	Slope	0.84	Too acid	1.00
		Filtering capacity	0.00	Filtering capacity	0.00	Too steep for sprinkler application	0.90
						Filtering capacity	0.00
B-Ar: Armistead-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95
B-Be: Betis-----	85	Very limited Filtering capacity Leaching limitation Too acid	1.00 0.45 0.32	Very limited Filtering capacity Too acid	1.00 0.91	Very limited Filtering capacity Too acid	1.00 0.91
B-Bu: Buxin-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
B-Cs: Caspiana-----	85	Not limited		Not limited		Not limited	
B-Fn: Forbing-----	85	Very limited Restricted permeability Runoff limitation Too acid	1.00 0.40 0.11	Very limited Restricted permeability Too acid	1.00 0.42	Very limited Restricted permeability Too acid	1.00 0.42

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B-FO: Forbing-----	85	Very limited Restricted permeability Runoff limitation	1.00 0.40	Very limited Restricted permeability Too acid	1.00 0.42	Very limited Restricted permeability Too steep for surface application	1.00 1.00
		Too acid Slope	0.11 0.04	Slope	0.04	Too acid Too steep for sprinkler application	0.42 0.22
B-Ga: Gallion-----	85	Not limited		Not limited		Not limited	
B-Ge: Gallion-----	85	Not limited		Not limited		Not limited	
B-Go: Gore-----	85	Very limited Restricted permeability Runoff limitation Too acid	1.00 0.40 0.32	Very limited Restricted permeability Too acid	1.00 0.91	Very limited Restricted permeability Too acid	1.00 0.91
B-GR: Gore-----	85	Very limited Restricted permeability Runoff limitation Too acid Slope	1.00 0.40 0.32 0.04	Very limited Restricted permeability Too acid Slope	1.00 0.91 0.04	Very limited Restricted permeability Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.91 0.22
B-Gu: Guyton-----	85	Very limited Depth to saturated zone Restricted permeability Too acid Runoff limitation	1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00
B-GY: Guyton-----	85	Very limited Depth to saturated zone Flooding Restricted permeability Too acid Runoff limitation	1.00 1.00 1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 1.00
B-Ke: Keithville-----	85	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.86 0.62	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 0.86	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 0.86
B-Ko: Kolin-----	85	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.11	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B-Ma: Malbis-----	85	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	0.41 0.32 0.24	Not Rated Not Rated; CEC or Clay Too acid Restricted permeability Depth to saturated zone	0.91 0.31 0.24	Not Rated Not Rated; CEC or Clay Too acid Restricted permeability Depth to saturated zone	0.91 0.31 0.24
B-Mc: Mckamie-----	85	Very limited Restricted permeability Runoff limitation Too acid	1.00 0.40 0.11	Very limited Restricted permeability Too acid	1.00 0.42	Very limited Restricted permeability Too acid	1.00 0.42
B-Me: Metcalf-----	85	Very limited Restricted permeability Depth to saturated zone Too acid Runoff limitation	1.00 1.00 0.62 0.40	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00
B-MK: Mckamie-----	85	Very limited Restricted permeability Runoff limitation Too acid Slope	1.00 0.40 0.11 0.04	Very limited Restricted permeability Too acid Slope	1.00 0.42 0.04	Very limited Restricted permeability Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.42 0.22
B-Mo: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
B-Pe: Perry-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.91	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.91
B-Rs: Ruston-----	85	Somewhat limited Too acid	0.22	Somewhat limited Too acid	0.77	Somewhat limited Too acid	0.77
B-Sa: Sacul-----	85	Very limited Restricted permeability Too acid	1.00 0.32	Very limited Restricted permeability Too acid	1.00 0.91	Very limited Restricted permeability Too acid	1.00 0.91
B-SC: Sacul-----	85	Very limited Restricted permeability Too acid	1.00 0.32	Very limited Restricted permeability Too acid	1.00 0.91	Very limited Restricted permeability Too steep for	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B-SM: Smithdale-----	85	Slope	0.04	Slope	0.04	surface application Too acid	0.91
						Too steep for sprinkler application	0.22
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Slope	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.50	Too acid	1.00	Too steep for sprinkler application	1.00
B-Wr: Wrightsville-----	85	Filtering capacity	0.00	Filtering capacity	0.00	Too acid	1.00
						Filtering capacity	0.00
		Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
B-YK: Yorktown-----	85	Runoff limitation	0.40				
		Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
Bb: Guyton-----	60	Runoff limitation	0.40				
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.62	Too acid	1.00	Too acid	1.00
Iuka-----	35	Runoff limitation	0.40				
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Not Rated; Bulk density		Flooding	1.00	Flooding	1.00
		Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.67	Too acid	0.67
		Too acid	0.18				

Table AWM-1.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bc: Guyton-----	45	Very limited Depth to saturated zone Flooding Restricted permeability Too acid Runoff limitation	1.00 1.00 1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 1.00 1.00
Iuka-----	35	Not Rated Not Rated; CEC or Clay Not Rated; Bulk density Flooding Depth to saturated zone Too acid	 1.00 1.00 1.00 0.18	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too acid	 1.00 1.00 0.67	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too acid	 1.00 1.00 0.67
Bd: Sacul-----	85	Very limited Restricted permeability Too acid	1.00 0.32	Very limited Restricted permeability Too acid	1.00 0.91	Very limited Restricted permeability Too acid	1.00 0.91
Be: Sacul-----	85	Very limited Restricted permeability Too acid	1.00 0.32	Very limited Restricted permeability Too acid	1.00 0.91	Very limited Restricted permeability Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.92 0.91 0.02
Bf: Sacul-----	85	Very limited Restricted permeability Slope Too acid	1.00 0.96 0.32	Very limited Restricted permeability Slope Too acid	1.00 0.96 0.91	Very limited Too steep for surface application Restricted permeability Too steep for sprinkler application Too acid	1.00 1.00 0.98 0.91
Bg: Sacul-----	85	Very limited Restricted permeability Too acid	1.00 0.73	Very limited Restricted permeability Too acid	1.00 1.00	Very limited Restricted permeability Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.92 0.02
Bh: Buxin-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bk: Buxin-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
Bm: Buxin-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
Bn: Buxin-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
Bo: Buxin-----	85	Very limited Restricted permeability Depth to saturated zone Flooding Runoff limitation	1.00 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 1.00
Bu: Buxin-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
Ca: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
Cb: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
Cc: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application Filtering capacity	0.92 0.91 0.02 0.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cd: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
Cf: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
Ct: Cahaba-----	65	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
Shatta-----	35	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.32	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.91	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.91
Cy: Una-----	85	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Flooding Too acid	1.00 1.00 1.00 1.00 0.50	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Flooding Too acid	1.00 1.00 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Flooding Too acid	1.00 1.00 1.00 1.00 1.00
Ga: Armistead-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95
Gb: Armistead-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95
Gc: Armistead-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95	Very limited Restricted permeability Depth to saturated zone	1.00 0.95
Gd: Gallion-----	85	Not limited		Not limited		Not limited	
Gg: Gallion-----	85	Not limited		Not limited		Not limited	
Gh: Gallion-----	85	Not limited		Not limited		Somewhat limited Too steep for surface	0.08

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						application	
Gk: Gallion-----	85	Not limited		Not limited		Not limited	
Gm: Gallion-----	50	Not limited		Not limited		Not limited	
Armistead-----	40	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	0.95	Depth to	0.95	Depth to	0.95
		saturated zone		saturated zone		saturated zone	
Go: Gore-----	50	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.91	Too steep for	1.00
						surface	
		Slope	0.37	Slope	0.37	application	
		Too acid	0.32			Too acid	0.91
						Too steep for	0.60
						sprinkler	
						application	
Mckamie-----	25	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.42	Too steep for	1.00
						surface	
		Slope	0.37	Slope	0.37	application	
						Too steep for	0.60
						sprinkler	
		Too acid	0.11			application	
						Too acid	0.42
Forbing-----	20	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.42	Too steep for	1.00
						surface	
		Slope	0.37	Slope	0.37	application	
						Too steep for	0.60
		Too acid	0.11			sprinkler	
						application	
						Too acid	0.42
Gr: Gore-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32				
Gs: Gore-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32				
Gv: Gore-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.91	Too steep for	1.00
						surface	
		Too acid	0.32			application	
		Slope	0.26	Slope	0.26	Too acid	0.91
						Too steep for	0.50
						sprinkler	

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						application	
Ha: Hannahatchee-----	85	Somewhat limited Flooding Too acid Filtering capacity	0.60 0.02 0.00	Very limited Flooding Too acid Filtering capacity	1.00 0.07 0.00	Somewhat limited Flooding Too acid Filtering capacity	0.60 0.07 0.00
Hn: Gore-----	85	Very limited Restricted permeability Runoff limitation Too acid	1.00 0.40 0.32	Very limited Restricted permeability Too acid	1.00 0.91	Very limited Restricted permeability Too acid	1.00 0.91
Hr: Gore-----	85	Very limited Restricted permeability Runoff limitation Too acid	1.00 0.40 0.32	Very limited Restricted permeability Too acid	1.00 0.91	Very limited Restricted permeability Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.92 0.91 0.02
Hs: Betis-----	85	Very limited Filtering capacity Leaching limitation Too acid	1.00 0.45 0.32	Very limited Filtering capacity Too acid	1.00 0.91	Very limited Filtering capacity Too acid	1.00 0.91
Hu: Betis-----	85	Very limited Filtering capacity Slope Leaching limitation Too acid	1.00 0.74 0.45 0.32	Very limited Filtering capacity Too acid Slope	1.00 0.91 0.74	Very limited Filtering capacity Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.91 0.85
In: Bienville-----	85	Very limited Filtering capacity Leaching limitation Too acid	1.00 0.45 0.22	Very limited Filtering capacity Too acid	1.00 0.77	Very limited Filtering capacity Too acid	1.00 0.77
Ka: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.32 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
Kr: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Too acid Filtering capacity	0.18 0.00	Not Rated Not Rated; Fragments > 250mm Too acid Filtering capacity	0.67 0.00	Not Rated Not Rated; Fragments > 250mm Too acid Filtering capacity	0.67 0.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ks: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Too acid	0.18	Not Rated Not Rated; Fragments > 250mm Too acid	0.67	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	0.92
		Filtering capacity	0.00	Filtering capacity	0.00	Too acid	0.67
						Too steep for sprinkler application	0.02
						Filtering capacity	0.00
Kt: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; Fragments > 250mm	
		Slope	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.18	Too acid	0.67	Too steep for sprinkler application	1.00
		Filtering capacity	0.00	Filtering capacity	0.00	Too acid	0.67
						Filtering capacity	0.00
Ku: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Droughty	0.75	Not Rated Not Rated; Fragments > 250mm Too acid	0.77	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Too acid	0.22	Droughty	0.75	Too acid	0.77
		Slope	0.16	Slope	0.16	Droughty	0.75
		Filtering capacity	0.00	Filtering capacity	0.00	Too steep for sprinkler application	0.40
Kv: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Droughty Too acid Filtering capacity	0.75 0.22 0.00	Not Rated Not Rated; Fragments > 250mm Too acid Droughty Filtering capacity	0.77 0.75 0.00	Not Rated Not Rated; Fragments > 250mm Too acid Droughty Filtering capacity	0.77 0.75 0.00
Kw: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Droughty Too acid Filtering capacity	0.75 0.22 0.00	Not Rated Not Rated; Fragments > 250mm Too acid Droughty Filtering capacity	0.77 0.75 0.00	Not Rated Not Rated; Fragments > 250mm Too acid Droughty Filtering capacity	0.77 0.75 0.00
Kx: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Droughty	0.75	Not Rated Not Rated; Fragments > 250mm Too acid	0.77	Not Rated Not Rated; Fragments > 250mm Too steep for	0.92

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						surface application	
		Too acid	0.22	Droughty	0.75	Too acid	0.77
		Filtering capacity	0.00	Filtering capacity	0.00	Droughty	0.75
						Too steep for sprinkler application	0.02
Ky: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Slope	1.00	Not Rated Not Rated; Fragments > 250mm Slope	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Droughty	0.59	Too acid	0.77	Too steep for sprinkler application	1.00
		Too acid	0.22	Droughty	0.59	Too acid	0.77
		Filtering capacity	0.00	Filtering capacity	0.00	Droughty	0.59
La: Betis-----	85	Very limited Filtering capacity Leaching limitation Too acid	1.00 0.45 0.32	Very limited Filtering capacity Too acid	1.00 0.91	Very limited Filtering capacity Too acid	1.00 0.91
Lb: Betis-----	85	Very limited Filtering capacity Leaching limitation Too acid	1.00 0.45 0.32	Very limited Filtering capacity Too acid	1.00 0.91	Very limited Filtering capacity Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.92 0.91 0.02
Lc: Betis-----	85	Very limited Filtering capacity Slope Leaching limitation Too acid	1.00 0.96 0.45 0.32	Very limited Filtering capacity Slope Too acid	1.00 0.96 0.91	Very limited Filtering capacity Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 0.98 0.91
Ld: Betis-----	85	Very limited Filtering capacity Leaching limitation Too acid Slope	1.00 0.45 0.32 0.26	Very limited Filtering capacity Too acid Slope	1.00 0.91 0.26	Very limited Filtering capacity Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.91 0.50
Lf: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; Fragments > 250mm	

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lg: Mahan-----	85	Restricted permeability	0.41	Too acid	0.67	Too acid	0.67
		Too acid	0.18	Restricted permeability	0.31	Restricted permeability	0.31
		Filtering capacity	0.00	Filtering capacity	0.00	Filtering capacity	0.00
		Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Restricted permeability	0.41	Too acid	0.67	Too steep for surface application	0.92
		Too acid	0.18	Restricted permeability	0.31	Too acid	0.67
		Filtering capacity	0.00	Filtering capacity	0.00	Restricted permeability	0.31
						Too steep for sprinkler application	0.02
Lh: Mahan-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Slope	0.96	Slope	0.96	Too steep for surface application	1.00
		Restricted permeability	0.41	Too acid	0.67	Too steep for sprinkler application	0.98
		Too acid	0.18	Restricted permeability	0.31	Too acid	0.67
		Filtering capacity	0.00	Filtering capacity	0.00	Restricted permeability	0.31
Lk: Mahan-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Restricted permeability	0.41	Too acid	0.67	Too acid	0.67
		Too acid	0.18	Restricted permeability	0.31	Restricted permeability	0.31
		Filtering capacity	0.00	Filtering capacity	0.00	Filtering capacity	0.00
Lm: Mahan-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Restricted permeability	0.41	Too acid	0.67	Too steep for surface application	0.92
		Too acid	0.18	Restricted permeability	0.31	Too acid	0.67
		Filtering capacity	0.00	Filtering capacity	0.00	Restricted permeability	0.31
Ln: Briley-----	85	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Too acid	0.22	Too acid	0.77	Too acid	0.77

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lo: Briley-----	85	Very limited Filtering capacity Too acid	1.00 0.22	Very limited Filtering capacity Too acid	1.00 0.77	Very limited Filtering capacity Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.92 0.77 0.02
Lp: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Restricted permeability Slope Too acid Filtering capacity	0.41 0.26 0.18 0.00	Not Rated Not Rated; Fragments > 250mm Too acid Restricted permeability Slope Filtering capacity	0.67 0.31 0.26 0.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application Too acid Too steep for sprinkler application Restricted permeability	1.00 0.67 0.50 0.31
Ma: Guyton-----	60	Very limited Depth to saturated zone Flooding Restricted permeability Too acid Runoff limitation	1.00 1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 1.00
Iuka-----	35	Not Rated Not Rated; CEC or Clay Not Rated; Bulk density Flooding Depth to saturated zone Too acid	1.00 1.00 1.00 0.18	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too acid Filtering capacity	1.00 1.00 0.67 0.00	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too acid Filtering capacity	1.00 1.00 0.67 0.00
MaA: Kolin-----	90	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.11	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42
MaB: Kolin-----	90	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.11	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42
MaC: Kolin-----	90	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.11	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 0.95 0.42

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MaD: Kolin-----	85	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 0.95 0.11	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 0.95 0.42	Very limited Restricted permeability Depth to saturated zone Too acid Too steep for surface application	 1.00 0.95 0.42 0.32
MaE: Guyton-----	65	Very limited Depth to saturated zone Restricted permeability Too acid Flooding Runoff limitation	 1.00 1.00 0.62 0.60 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid Flooding	 1.00 1.00 1.00 0.60
Messer-----	25	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 0.43 0.32	Very limited Restricted permeability Too acid Depth to saturated zone	 1.00 0.91 0.43	Very limited Restricted permeability Too acid Depth to saturated zone	 1.00 0.91 0.43
MaF: Guyton-----	85	Very limited Depth to saturated zone Restricted permeability Too acid Flooding Runoff limitation	 1.00 1.00 0.62 0.60 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid Flooding	 1.00 1.00 1.00 0.60
MaG: Guyton-----	50	Very limited Depth to saturated zone Flooding Restricted permeability Too acid Runoff limitation	 1.00 1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	 1.00 1.00 1.00 1.00
Messer-----	30	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 0.43 0.32	Very limited Restricted permeability Too acid Depth to saturated zone	 1.00 0.91 0.43	Very limited Restricted permeability Too acid Depth to saturated zone	 1.00 0.91 0.43
Mb: Mckamie-----	85	Very limited Restricted permeability Runoff limitation Too acid	 1.00 0.40 0.11	Very limited Restricted permeability Too acid	 1.00 0.42	Very limited Restricted permeability Too acid	 1.00 0.42
Mc: Mckamie-----	85	Very limited Restricted permeability Runoff limitation Too acid	 1.00 0.40 0.11	Very limited Restricted permeability Too acid	 1.00 0.42	Very limited Restricted permeability Too acid	 1.00 0.42

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Md: Mckamie-----	85	Very limited Restricted permeability Runoff limitation	1.00 0.40	Very limited Restricted permeability Too acid	1.00 0.42	Very limited Restricted permeability Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.92 0.42 0.02
Me: Mckamie-----	50	Very limited Restricted permeability Slope Runoff limitation Too acid	1.00 0.96 0.40 0.11	Very limited Restricted permeability Slope Too acid	1.00 0.96 0.42 0.11	Very limited Restricted permeability Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 0.98 0.42
Forbing-----	45	Very limited Restricted permeability Slope Runoff limitation Too acid	1.00 0.96 0.40 0.11	Very limited Restricted permeability Slope Too acid	1.00 0.96 0.42 0.11	Very limited Restricted permeability Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 0.98 0.42
Mg: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
Mh: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
Mk: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Too steep for surface application	1.00 1.00 0.50
Mm: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Flooding Runoff limitation	1.00 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mn: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Mo: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Mp: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Mr: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Ms: Ochlockonee-----	85	Not Rated Not Rated; CEC or Clay Flooding Droughty Too acid Filtering capacity	 1.00 0.71 0.22 0.00	Not Rated Not Rated; CEC or Clay Flooding Too acid Droughty Filtering capacity	 1.00 0.77 0.71 0.00	Not Rated Not Rated; CEC or Clay Flooding Too acid Droughty Filtering capacity	 1.00 0.77 0.71 0.00
Mt: Guyton-----	55	Very limited Depth to saturated zone Flooding Restricted permeability Too acid Runoff limitation	 1.00 1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Too acid Sodium content	 1.00 1.00 1.00 1.00 1.00 0.08	Very limited Depth to saturated zone Flooding Restricted permeability Too acid Sodium content	 1.00 1.00 1.00 1.00 1.00 0.08
Iuka-----	25	Not Rated Not Rated; CEC or Clay Not Rated; Bulk density Flooding Depth to saturated zone Too acid	 1.00 1.00 0.18	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too acid Filtering capacity	 1.00 1.00 0.67 0.00	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too acid Filtering capacity	 1.00 1.00 0.67 0.00
Mu: Morse-----	85	Very limited Restricted permeability Runoff limitation	 1.00 0.40	Very limited Restricted permeability	 1.00 	Very limited Restricted permeability	 1.00
Mv: Morse-----	85	Very limited Restricted permeability	 1.00 	Very limited Restricted permeability	 1.00 	Very limited Restricted permeability	 1.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Runoff limitation	0.40			Too steep for surface application	0.92
						Too steep for sprinkler application	0.02
Mw: Morse-----	85	Very limited Restricted permeability Slope	1.00 0.96	Very limited Restricted permeability Slope	1.00 0.96	Very limited Restricted permeability Too steep for surface application	1.00 1.00 0.98
		Runoff limitation	0.40			Too steep for sprinkler application	0.98
Mx: Morse-----	85	Very limited Restricted permeability Runoff limitation	1.00 0.40	Very limited Restricted permeability	1.00	Very limited Restricted permeability Too steep for surface application	1.00 0.68
My: Morse-----	85	Very limited Restricted permeability Runoff limitation	1.00 0.40	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Mz: Morse-----	85	Very limited Restricted permeability Runoff limitation	1.00 0.40	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Na: Nacogdoches-----	85	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Not Rated; Bulk density Too acid	 0.11	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Too acid	 0.42	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Too acid	 0.42
Nc: Nacogdoches-----	85	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Not Rated; Bulk density Too acid	 0.11	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Too acid	 0.42	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Too steep for surface application Too acid Too steep for sprinkler application	 0.92 0.42 0.02
Ng: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Slope	 1.00	Not Rated Not Rated; Fragments > 250mm Slope	 1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application Too steep for	 1.00 1.00
		Droughty	0.78	Droughty	0.78	Too steep for	1.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ns: Darley-----	85					sprinkler application	
		Too acid	0.22	Too acid	0.77	Droughty	0.78
		Filtering capacity	0.00	Filtering capacity	0.00	Too acid	0.77
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Fragments > 250mm		Not Rated; CEC or Fragments > 250mm		Not Rated; CEC or Fragments > 250mm	
		Slope	1.00	Slope	1.00	Too steep for surface application	1.00
Oc: Ochlockonee-----	55					Too steep for sprinkler application	1.00
		Droughty	0.78	Droughty	0.78	Too steep for sprinkler application	1.00
		Too acid	0.22	Too acid	0.77	Droughty	0.78
		Filtering capacity	0.00	Filtering capacity	0.00	Too acid	0.77
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
Iuka-----	35	Flooding	0.60	Flooding	1.00	Too acid	0.77
		Too acid	0.22	Too acid	0.77	Flooding	0.60
		Filtering capacity	0.00	Filtering capacity	0.00	Filtering capacity	0.00
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Not Rated; Bulk density		Flooding	1.00	Depth to saturated zone	1.00
Of: Orangeburg-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	0.67
		Flooding	0.60	Too acid	0.67	Flooding	0.60
		Too acid	0.18	Filtering capacity	0.00	Filtering capacity	0.00
		Somewhat limited		Somewhat limited		Somewhat limited	
		Too acid	0.22	Too acid	0.77	Too acid	0.77
Og: Ruston-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too acid	0.22	Too acid	0.77	Too acid	0.77
Om: Ruston-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too acid	0.22	Too acid	0.77	Too steep for surface application	0.92
						Too acid	0.77
						Too steep for sprinkler application	0.02
Or: Ruston-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too acid	0.22	Too acid	0.77	Too steep for surface application	0.92
						Too acid	0.77
						Too steep for sprinkler application	0.02

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ou: Smithdale-----	85	Not Rated Not Rated; CEC or Clay Slope	0.96	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too acid Filtering capacity	0.50 0.00	Slope Filtering capacity	0.96 0.00	Too acid Too steep for sprinkler application	1.00 0.98
						Filtering capacity	0.00
Pa: Perry-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid Flooding	1.00 1.00 0.91 0.40	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.91
Pb: Perry-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.91	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.91
Pe: Perry-----	85	Very limited Restricted permeability saturated zone Runoff limitation Too acid	1.00 0.40 0.32	Very limited Restricted permeability saturated zone Too acid	1.00 0.91	Very limited Restricted permeability saturated zone Too acid	1.00 0.91
Ph: Savannah-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Depth to dense layer Too acid Restricted permeability	1.00 1.00 0.73 0.41	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.31	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.31
Pk: Savannah-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Depth to dense layer Too acid Restricted permeability	1.00 1.00 0.73 0.41	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.31	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.31
Pm: Prentiss-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid	1.00 0.50	Not Rated Not Rated; CEC or Clay Too acid Depth to	1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid Depth to	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pn: Prentiss-----	85	Restricted permeability	0.41	saturated zone Restricted permeability	0.31	saturated zone Restricted permeability	0.31
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.50	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Po: Shatta-----	85	Restricted permeability	0.41	Restricted permeability	0.31	Restricted permeability	0.31
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.41	Too acid	0.91	Too acid	0.91
		Too acid	0.32	Restricted permeability	0.31	Restricted permeability	0.31
Pp: Shatta-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Pr: Shatta-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Ps: Shatta-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Pt: Shatta-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Pv: Prentiss-----	60	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.50	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.41	Restricted permeability	0.31	Restricted permeability	0.31
Shatta (tilden)-----	30	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too acid	0.91

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pw: Prentiss-----	60	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability	 1.00 0.50 0.41	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	 1.00 1.00 0.31	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	 1.00 1.00 0.31
Shatta (tilden)----	30	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.32	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.91	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.91
Ra: Severn-----	90	Very limited Flooding Filtering capacity	 1.00 0.00	Very limited Flooding Filtering capacity	 1.00 0.00	Very limited Flooding Filtering capacity	 1.00 0.00
Rb: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Rc: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Rd: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Flooding Runoff limitation	 1.00 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 1.00
Re: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Rf: Moreland-----	85	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Rg: Ruston-----	85	Somewhat limited Too acid	 0.22	Somewhat limited Too acid	 0.77	Somewhat limited Too acid	 0.77
Rh: Ruston-----	85	Somewhat limited Too acid	 0.22	Somewhat limited Too acid	 0.77	Somewhat limited Too acid	 0.77

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rk: Ruston-----	85	Somewhat limited Too acid	0.22	Somewhat limited Too acid	0.77	Somewhat limited Too steep for surface application Too acid Too steep for sprinkler application	0.92 0.77 0.02
Rm: Ruston-----	85	Somewhat limited Too acid	0.22	Somewhat limited Too acid	0.77	Somewhat limited Too steep for surface application Too acid Too steep for sprinkler application	0.92 0.77 0.02
Rn: Ora-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Filtering capacity	1.00 0.73 0.41 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 0.31 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 0.31 0.00
Ro: Ora-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Filtering capacity	1.00 0.73 0.41 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 0.31 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 0.31 0.00
Rs: Ora-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Filtering capacity	1.00 0.73 0.41 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 0.31 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Too steep for surface application Restricted permeability	1.00 1.00 0.92 0.31
Rt: Ora-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Filtering	1.00 0.73 0.41 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Filtering	1.00 1.00 0.31 0.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Too steep for surface application Restricted	1.00 1.00 0.92 0.31

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		capacity		capacity		permeability	
Ru: Ruston-----	85	Somewhat limited Too acid	0.22	Somewhat limited Too acid	0.77	Somewhat limited Too acid Too steep for surface application	0.77 0.18
Sa: Savannah-----	60	Not Rated Not Rated; CEC or Clay Depth to saturated zone Depth to dense layer Too acid Restricted permeability	1.00 1.00 1.00 0.73 0.41	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Droughty	1.00 1.00 1.00 0.31 0.15	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Droughty	1.00 1.00 1.00 0.31 0.15
Bowie-----	40	Somewhat limited Restricted permeability Too acid Filtering capacity	0.41 0.22 0.00	Somewhat limited Too acid Restricted permeability Filtering capacity	0.77 0.31 0.00	Somewhat limited Too acid Restricted permeability Filtering capacity	0.77 0.31 0.00
SaA: Eastwood-----	85	Very limited Restricted permeability Slope Runoff limitation Too acid	1.00 1.00 0.40 0.32	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.91	Very limited Restricted permeability Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 1.00 0.91
SaB: Eastwood-----	85	Very limited Restricted permeability Slope Runoff limitation Too acid	1.00 1.00 0.40 0.32	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.91	Very limited Restricted permeability Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 1.00 0.91
Sb: Savannah-----	60	Not Rated Not Rated; CEC or Clay Depth to saturated zone Depth to dense layer Too acid Restricted permeability	1.00 1.00 1.00 0.73 0.41	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Droughty	1.00 1.00 1.00 0.31 0.15	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Restricted permeability Droughty	1.00 1.00 1.00 0.31 0.15
Bowie-----	40	Somewhat limited Restricted permeability Too acid Filtering	0.41 0.22 0.00	Somewhat limited Too acid Restricted permeability Filtering	0.77 0.31 0.00	Somewhat limited Too acid Restricted permeability Filtering	0.77 0.31 0.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		capacity		capacity		capacity	
Sc: Metcalf-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Too acid	1.00	Too acid	1.00
		saturated zone		Depth to	1.00	Depth to	1.00
		Too acid	0.62	saturated zone		saturated zone	
		Runoff limitation	0.40				
Sd: Metcalf-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Too acid	1.00	Too acid	1.00
		saturated zone		Depth to	1.00	Depth to	1.00
		Too acid	0.62	saturated zone		saturated zone	
		Runoff limitation	0.40				
Se: Sacul-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Sf: Sacul-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Sg: Sacul-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.32	Too acid	0.91	Too steep for	0.92
						surface	
						application	
						Too acid	0.91
						Too steep for	0.02
						sprinkler	
						application	
Sh: Sacul-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.32	Too acid	0.91	Too steep for	0.92
						surface	
						application	
						Too acid	0.91
						Too steep for	0.02
						sprinkler	
						application	
Sk: Sacul-----	85	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Too steep for	1.00
		permeability		permeability		surface	
		Slope	0.63	Too acid	0.91	application	
						Restricted	1.00
		Too acid	0.32	Slope	0.63	permeability	
						Too acid	0.91
						Too steep for	0.78
						sprinkler	
						application	
Sm: Shubuta-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sn: Shubuta-----	85	Restricted permeability	0.41	Too acid	0.91	Too acid	0.91
		Too acid	0.32	Restricted permeability	0.31	Restricted permeability	0.31
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Restricted permeability	0.41	Too acid	0.91	Too acid	0.91
		Too acid	0.32	Restricted permeability	0.31	Restricted permeability	0.31
So: Shubuta-----	85	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Restricted permeability	0.41	Too acid	0.91	Too steep for surface application	0.92
		Too acid	0.32	Restricted permeability	0.31	Too acid	0.91
						Restricted permeability	0.31
						Too steep for sprinkler application	0.02
Sp: Shubuta-----	85	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Restricted permeability	0.41	Too acid	0.91	Too steep for surface application	0.92
		Too acid	0.32	Restricted permeability	0.31	Too acid	0.91
						Restricted permeability	0.31
						Too steep for sprinkler application	0.02
Sr: Sacul-----	85	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Slope	0.96	Slope	0.96	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too steep for sprinkler application	0.98
						Too acid	0.91
Ss: Sacul-----	85	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Slope	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.32	Too acid	0.91	Too steep for sprinkler application	1.00
						Too acid	0.91
St: Sacul-----	60	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Boswell-----	40	Slope	1.00	Slope	1.00	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too steep for sprinkler application	1.00
						Too acid	0.91
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Slope	0.63	Too acid	1.00	Too steep for surface application	1.00
Su: Sacul-----	60	Too acid Runoff limitation	0.50 0.40	Slope	0.63	Too acid Too steep for sprinkler application	1.00 0.78
		Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Slope	1.00	Slope	1.00	Restricted permeability	1.00
		Too acid	0.32	Too acid	0.91	Too steep for sprinkler application	1.00
						Too acid	0.91
Darley-----	40	Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; Fragments > 250mm		Not Rated Not Rated; Fragments > 250mm	
		Slope	1.00	Slope	1.00	Too steep for surface application	1.00
		Droughty	0.73	Too acid	0.77	Too steep for sprinkler application	1.00
		Too acid Filtering capacity	0.22 0.00	Droughty Filtering capacity	0.73 0.00	Too acid Droughty	0.77 0.73
Sv: Caddo-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32				
Messer-----	30	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.43	Too acid	0.91	Too acid	0.91
		Too acid	0.32	Depth to saturated zone	0.43	Depth to saturated zone	0.43
Sw: Caddo-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Messer-----	30	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32				
		Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.43	Too acid	0.91	Too acid	0.91
Sx: Wrightsville-----	60	Too acid	0.32	Depth to saturated zone	0.43	Depth to saturated zone	0.43
		Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Runoff limitation	0.40				
Vidrine-----	30	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32				
Sy: Wrightsville-----	60	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Runoff limitation	0.40				
Vidrine-----	30	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32				
Sz: Eastwood-----	85	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32			Too steep for surface application	0.32
Td: Shatta-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.32	Too acid	0.91	Too acid	0.91
						Too steep for surface application	0.32
Tf: Shatta-----	85						
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Ts: Shatta-----	85	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.32	Too acid	0.91	Too acid	0.91
Tv: Shatta-----	85	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.32	Too acid	0.91	Too acid	0.91
UML: Unmapped Lands-----	100	Not rated		Not rated		Not rated	
Va: Wolfpen-----	85	Very limited		Very limited		Very limited	
		Filtering	1.00	Filtering	1.00	Filtering	1.00
		capacity		capacity		capacity	
		Too acid	0.22	Too acid	0.77	Too acid	0.77
Vc: Wolfpen-----	85	Very limited		Very limited		Very limited	
		Filtering	1.00	Filtering	1.00	Filtering	1.00
		capacity		capacity		capacity	
		Too acid	0.22	Too acid	0.77	Too acid	0.77
Vf: Wolfpen-----	85	Very limited		Very limited		Very limited	
		Filtering	1.00	Filtering	1.00	Filtering	1.00
		capacity		capacity		capacity	
		Too acid	0.22	Too acid	0.77	Too steep for	0.92
						surface	
						application	
						Too acid	0.77
						Too steep for	0.02
						sprinkler	
						application	
Vm: Wolfpen-----	85	Very limited		Very limited		Very limited	
		Filtering	1.00	Filtering	1.00	Filtering	1.00
		capacity		capacity		capacity	
		Too acid	0.22	Too acid	0.77	Too steep for	0.92
						surface	
						application	
						Too acid	0.77
						Too steep for	0.02
						sprinkler	
						application	
Vs: Wolfpen-----	85	Very limited		Very limited		Very limited	
		Filtering	1.00	Filtering	1.00	Filtering	1.00
		capacity		capacity		capacity	
		Slope	0.63	Too acid	0.77	Too steep for	1.00
						surface	
						application	
		Too acid	0.22	Slope	0.63	Too steep for	0.78
						sprinkler	
						application	
						Too acid	0.77

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wr: Wrightsville-----	60	Very limited Restricted permeability Depth to saturated zone Too acid Runoff limitation	 1.00 1.00 0.73 0.40	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00
Vidrine-----	30	Very limited Depth to saturated zone Restricted permeability Runoff limitation Too acid	 1.00 1.00 0.40 0.32	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.91	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.91
Wt: Wrightsville-----	85	Very limited Restricted permeability Depth to saturated zone Too acid Runoff limitation	 1.00 1.00 0.73 0.40	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00
Wv: Wrightsville-----	85	Very limited Restricted permeability Depth to saturated zone Too acid Runoff limitation	 1.00 1.00 0.73 0.40	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Too acid	 1.00 1.00 1.00
Ya: Armistead-----	85	Very limited Restricted permeability Depth to saturated zone	 1.00 0.95	Very limited Restricted permeability Depth to saturated zone	 1.00 0.95	Very limited Restricted permeability Depth to saturated zone	 1.00 0.95
Yc: Armistead-----	85	Very limited Restricted permeability Depth to saturated zone	 1.00 0.95	Very limited Restricted permeability Depth to saturated zone	 1.00 0.95	Very limited Restricted permeability Depth to saturated zone	 1.00 0.95
Yh: Norwood-----	85	Not limited		Somewhat limited Flooding	0.40	Not limited	
Ym: Norwood-----	85	Not limited		Somewhat limited Flooding	0.40	Not limited	
Yn: Norwood-----	85	Not limited		Somewhat limited Flooding	0.40	Not limited	
Yo: Norwood-----	85	Not limited		Somewhat limited Flooding	0.40	Not limited	

Table AWM-1.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Yp: Severn-----	85	Very limited Flooding Filtering capacity	1.00 0.00	Very limited Flooding Filtering capacity	1.00 0.00	Very limited Flooding Filtering capacity	1.00 0.00
Yr: Severn-----	85	Somewhat limited Filtering capacity	0.00	Somewhat limited Flooding Filtering capacity	0.40 0.00	Somewhat limited Filtering capacity	0.00
Ys: Severn-----	85	Somewhat limited Filtering capacity	0.00	Somewhat limited Flooding Filtering capacity	0.40 0.00	Somewhat limited Filtering capacity	0.00
Yt: Severn-----	85	Somewhat limited Filtering capacity	0.00	Somewhat limited Flooding Filtering capacity	0.40 0.00	Somewhat limited Too steep for surface application Filtering capacity	0.50 0.00
Yv: Severn-----	85	Somewhat limited Filtering capacity	0.00	Somewhat limited Flooding Filtering capacity	0.40 0.00	Somewhat limited Filtering capacity	0.00